























Type C

& USB Port









RISHI TRADE CENTER PVT. LTD.

2nd Floor, Prasiddhi Tower, Kalpakunja Shree Marg, Pulchowk, Lalitpur-3, Email: info@cfmoto.com.np

SHOWROOM:

Naxal: 9802361923, 9802361922, 01-4537970 Jhamsikhel: 9802361929, 01-5920639 Email: sales@cfmoto.com.np

SERVICE CENTER: Kalopul, Kathmandu: 9802361928







BASIC DATA

Dimensions	1910mm×743mm×1154mm
Wheel base	1340mm
Seat height	770mm
Ground clearance	140mm
Curb weight	96kg

RANGE & BATTERY

Battery	Lithium battery
Capacity	74V27Ah (second battery optional)
Max range	90km

MOTORCYCLE CONFIGURATION

Version	AE4, AE4 ABS
Frame	steel tube frame
Brake (f r)	220mm disc with opposed 2-piston caliper
	190mm disc with opposed 2-piston caliper
Suspensions (f r)	hydraulic twinshock, spring damper, adjustable
Tires (f r)	80/90-12 100/80-12
eTCS	standard
ABS&BSD	ABS (AE4 ABS only)

MOTOR & PERFORMANCE

Motor	hub motor
Grade ability	15°
Acceleration	0-30km/h in 3.5s
Max speed	65km/h (factory state)
Rated power	1.6kW
Peak power	3kW

SMART EXPERIENCE

Dashboard	LCD
Multiple riding modes	~
OTA	✓
Cruise control	✓
Anti-theft protection	✓
Multiple unlock modes	✓
Easy Ride!	✓
ZEEHO RIDE	✓
Side-stand detection	✓
ZEEHO RIDE	✓

LIGHTING SYSTEM

Headlight	✓
Position light	✓
Tail light	✓
Turn signal	✓
Brake light	✓



